

Ship 2 FEB.

Work Order ID 156553

156553


Page 1

Monday, January 30, 2017 11:59:28 AM

Item ID: D412-702-029 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Shoulder Harness, 4 Point Attachment, 1 Man Center Fwd Facing

Start Date: 1/30/2017 Start Qty: 1.00 ***1*** Cust Item ID:
 Required Date: 2/2/2017 Req'd Qty: 1.00 ***1*** Customer:

Reference:

Approvals: Process Plan:  Date: JAN 30 2017 Tooling: Date: Run Start ***NR1***
 QC: Date: SPC (Y/N): Date: Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
DSI9559	A								
IIN-D412-702	A								

100

0.00

100

DOCUMENT CONTROL

DC

Memo

0.00

Doc.Control -USB or Paperwork

Photocopy bluefile and create labels per PPP D412-702-029 CHG002

DAS
28
9-89

FEB 01 2017

110

Pick Kit

0.00

110

Packaging

Memo

0.00

Packaging

DAS
6
9-89

JAN 30 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
							Completed By		
							Lead hand / Supervisor Approval Verification		
							QC / QA Coordinator Approval		
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

Work Order ID 156553

Monday, January 30, 2017 11:59:28 AM

156553

Page 2

Item ID: D412-702-029

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Shoulder Harness, 4 Point Attachment, 1 Man Center Fwd Facing

Start Date: 1/30/2017 Start Qty: 1.00 ***1***

Cust Item ID:

Required Date: 2/2/2017 Req'd Qty: 1.00 ***1***

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120	QC4- 100% Inspect kits for completeness	0.00							
120									
QC	Memo	0.00							
Quality Control									
130		0.00							
130	Packaging								
Packaging	Memo	0.00							
Packaging	Identify and pack for shipping as per PPP D412-702-029								
	Location: <u>F9029</u>								
140	QC21- Final Inspection - Work Order Release	0.00							
140									
QC	Memo	0.00							
Quality Control									

DAS
28
9-89

FEB 01 2017

DAS
28
9-89DAS
27
9-89

FEB 01 2017

DAS
21
9-89

FEB 02 2017

DAS
21
9-89

FEB 02 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER : _____					

Monday, January 30, 2017 11:59:34 AM

Page 1

156553

D412-702-029

Start Date: 1/30/2017

Required Date: 2/2/2017

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP REV:A 14.01.08 NEW ISSUE DD VERF:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D4387-041 *D4387-041* Harness Assembly		Manufactured	No				Each	8.0000		1	6	JAN 30 2017	DAS 27 9-89
				<u>Location</u>				<u>Loc Qty</u>		<u>Loc Code</u>			
				ST467				8					
				153083				4					
				154430				4					
D412-702-069 *D412-702-069* Grommet		Manufactured	No				Each	1.0000		1	6	JAN 30 2017	DAS 27 9-89
				<u>Location</u>				<u>Loc Qty</u>		<u>Loc Code</u>			
				ST370a				1					
				149630				1					
D3196-1 *D3196-1* Bar		Manufactured	No				Each	6.0000		1	6	JAN 30 2017	DAS 27 9-89
				<u>Location</u>				<u>Loc Qty</u>		<u>Loc Code</u>			
				ST256				6					
				148466				6					
D3551-11 *D3551-11* Hook And Loop Tie		Manufactured	No				Each	26.0000		1	6	JAN 30 2017	DAS 27 9-89
				<u>Location</u>				<u>Loc Qty</u>		<u>Loc Code</u>			
				ST416				26					
				152595				6					
				154432				10					
				154866				10					

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
☐ Environment	☐ No Re-verification	☐ Pressure/Forced	☐ Temperature/Cure	☐ Power Loss/Surge	☐ Positioned Wrong		
☐ Design	☐ Operator	☐ Bending	☐ Set-up	☐ Folio/Program	☐ Outside Dimensions		
☐ Doc/Data	☐ Offset/Setup	☐ Centre Not Concentric	☐ BOM/Route	☐ Grain	☐ Over/Under tolerance		
☐ Equip/Tooling	☐ Supplier	☐ Cracks	☐ Broken/Damage/Defect	☐ Weld	☐ Part Incorrect		
☐ Handling/Pre	☐ Training	☐ Crimp/Kink/Ripple/Wave	☐ Inspection Incomplete/Unqualified	☐ Wrong Stock Pulled	☐ Part Lost/Missing		
☐ Material	☐ Use for Testing	☐ Cuffs	☐ Contamination	☐ Out of Sequence	☐ Part Moved		
☐ Internal Transport	☐ Poor Information	☐ Crushing	☐ Countersink	☐ Off-set	☐ Drawing		
☐ Tribal Knowledge	☐ Rushing	☐ Heat Treat	☐ Cut Too Short	☐ Mislabeled	☐ Finish		
☐ LOA	☐ Product Improvement	☐ Wave/Twist in Tube	☐ Instructions Incomplete/Unclear	☐ Fit/Function	☐ Misread		
☐ Substation	☐ Process Improvement	☐ Marks/Chatter	☐ Drill Holes	☐ Misaligned/off center	☐ Turning Sequence		
☐ Past Expiry Date	☐ Manufacturing Process	OTHER : _____					
☐ Misidentified	☐ Past Due						

Picklist Print

Page 2

Monday, January 30, 2017 11:59:34 AM

Work Order ID: 156553

156553

Parent Item: D412-702-029

D412-702-029

Parent Item Name: Shoulder Harness,4 Point Attachment,1 Man Center Fwd Facing

Start Date: 1/30/2017

Required Date: 2/2/2017

Start Qty: 1.00

Required Qty: 1.00

MS24694-S152

Purchased

No

Each

26.0000

MS24694-S152

Screw

**

2

DAS

6

9-89

JAN 30 2017

DAS

27

9-89

DAS

28

9-89

Location

Loc Qty

Loc Code

ST282

26

m135058

1

m136182

25

MS24694-S154

Purchased

No

Each

24.0000

MS24694-S154

Screw

**

2

DAS

6

9-89

JAN 30 2017

DAS

27

9-89

Location

Loc Qty

Loc Code

ST282

24

m135058

24

DAS

28

9-89

Monday, January 30, 2017 11:59:34 AM

Shop Packet Print

Page 2

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____			MRB (QS1042) Approval 		
Description Work Order Deviation				Disposition					
				Completed By _____					
				Lead hand / Supervisor Approval Verification _____					
				QC / QA Coordinator Approval _____					
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

DART SERVICE INSTRUCTION

TO AMEND IIN-D412-702-1 REV. A,
AND ICA-D412-702 REV. 4 OR EARLIER APPROVED REVISIONS
REF. TCCA STC: SH04-7
REF. FAA STC: SR01997NY
REF. EASA STC: EASA.IM.R.S.00710

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 156523
JAN 30 2017

PURPOSE

The purpose of this DSI is to outline the replacement of existing D3446-041/-043 Shoulder Harnesses with the new and improved D4387-041/-043 Shoulder Harnesses.

CHANGE

For the following Kits, the D4387-041 and D4387-043 Shoulder Harnesses respectively replace the D3446-041 and D3446-043 Shoulder Harnesses as follows:

Old Harness P/N	Used On	New Harness P/N	Effectivity
D3446-041	D412-702-021	D4387-041	CHG 003 and subsequent
	D412-702-023		CHG 002 and subsequent
	D412-702-027		CHG 002 and subsequent
	D412-702-029		CHG 002 and subsequent
D3446-043	D412-702-021	D4387-043	CHG 003 and subsequent
	D412-702-025		CHG 002 and subsequent

Customers who want to upgrade their shoulder harnesses may replace their existing D3446-041/-043 with D4387-041/-043 per this service instruction.

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED

BY: [Signature]
D. SHEPHERD (DE # 02)

DATE: 11.05.09
CERT. NO.: SH04-7
ISSUE NO.: 3

A	NEW ISSUE	MB	11.05.09
REV.	DESCRIPTION	BY	DATE
DESIGN	<u>[Signature]</u>	DART AEROSPACE LTD	
DRAWN	<u>[Signature]</u>	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<u>[Signature]</u>	DRAWING NO.	REV. A
MFG. APPR.	N/A	DSI 9559	SHEET 1 OF 1
APPROVED	<u>[Signature]</u>	TITLE	SCALE
DE APPR.	<u>[Signature]</u>	HARNES CHANGE	NTS
DATE	11.05.09	COPYRIGHT © 2011 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

QTY -021	QTY -023	QTY -025	QTY -027	QTY -029	QTY -035	Part Number	Description
X						D412-702-021	Dart 13-Man Shoulder Harness Kit, 4-point
	X					D412-702-023	Dart 5-Man Forward Facing Shoulder Harness Kit, 4-point
		X				D412-702-025	Dart 4-Man Aft Facing Shoulder Harness Kit, 4-point
			X			D412-702-027	Dart 4-Man Side Facing Shoulder Harness Kit, 4-point
				X		D412-702-029	Dart 1-Man Forward Facing Shoulder Harness Kit, 4-point
					X	D214-702-035	Dart 5-Man Aft Facing Shoulder Harness Kit, 4-point, for Bell 214B/B-1
1	1		1	1		D412-702-069	GROMMET KIT
2	2					D3195-041	BRACKET
2	2					D3195-043	BRACKET
1	1			1		D3196-1	BAR
1			1			D3196-3	BAR
1			1			D3196-4	BAR
2	2					D3197-041	BAR
4		4				D3198-1	FITTING
2	2					D3268-1	PLACARD
9	5		4	1		D3446-041	HARNESS ASSEMBLY, 4 POINT
4		4				D3446-043	HARNESS ASSEMBLY, 4 POINT
					5	D3446-045	HARNESS ASSEMBLY, 4 POINT
13	5	4	4	1	5	D3551-11	HOOK AND LOOP TIE
2	2					D3546-1	CLIP
4		4				AN4-5A	BOLT
4	4					AN4-13A	BOLT
8		8				AN4-20A	BOLT
20		20				AN960JD416	WASHER (OR NAS1149D0463J)
12		12				MS21042L4	NUT (OR MS21042-4)
8	2		6	2		MS24694-S152	SCREW
8	2		6	2		MS24694-S154	SCREW

QTY -069	Part Number	Description
X	D412-702-069	GROMMET KIT
24	D3619-2	GROMMET
1	D3619-2T1	HOLE PUNCH
1	D3619-2T2	STRIKER BLOCK
1	D3619-2T3	PUNCH
1	D3619-2T4	DIE

DART SERVICE INSTRUCTION

TO AMEND IIN-D412-702-1 REV. A,
AND ICA-D412-702 REV. 4 OR EARLIER APPROVED REVISIONS
REF. TCCA STC: SH04-7
REF. FAA STC: SR01997NY
REF. EASA STC: EASA.IM.R.S.00710

PURPOSE

The purpose of this DSI is to outline the replacement of existing D3446-041/-043 Shoulder Harnesses with the new and improved D4387-041/-043 Shoulder Harnesses.

CHANGE

For the following Kits, the D4387-041 and D4387-043 Shoulder Harnesses respectively replace the D3446-041 and D3446-043 Shoulder Harnesses as follows:

Old Harness P/N	Used On	New Harness P/N	Effectivity
D3446-041	D412-702-021	D4387-041	CHG 003 and subsequent
	D412-702-023		
	D412-702-027		CHG 002 and subsequent
	D412-702-029		
D3446-043	D412-702-021	D4387-043	CHG 003 and subsequent
	D412-702-025		CHG 002 and subsequent

Customers who want to upgrade their shoulder harnesses may replace their existing D3446-041/-043 with D4387-041/-043 per this service instruction.

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED

BY: 
D. SHEPHERD (DE # 02)

DATE: 11.05.09
CERT. NO.: SH04-7
ISSUE NO.: 3

A	NEW ISSUE	MB	11.05.09
REV.	DESCRIPTION	BY	DATE
DESIGN		DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN			
CHECKED		DRAWING NO.	REV. A
MFG. APPR.	N/A	DSI 9559	SHEET 1 OF 1
APPROVED		TITLE	SCALE
DE APPR.		HARNESS CHANGE	NTS
DATE	11.05.09	COPYRIGHT © 2011 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	